	Application No.	Applicant(s)	- ,
	10/623,636	TSAI ET AL.	
Notice of Allowability	Examiner	Art Unit	
	Thor S. Campbell	3742	
The MAILING DATE of this communication apperature of the second serious allowable, PROSECUTION ON THE MERITS IS therewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIP of the Office or upon petition by the applicant. See 37 CFR 1.313	ears on the cover sheet wi (OR REMAINS) CLOSED in or other appropriate commu IGHTS. This application is s	n this application. If not includention will be mailed in due	ded e course. THIS
1. This communication is responsive to			
2. \boxtimes The allowed claim(s) is/are <u>1</u> .			
3. \boxtimes The drawings filed on <u>22 July 2003</u> are accepted by the Ex	caminer.		
 4. Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	e been received. e been received in Applicatio	on No	ation from the
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		a reply complying with the re	quirements
5. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give			NOTICE OF
6. CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the state of the property of the state of the property of the state of the property of the	on's Patent Drawing Reviev . s Amendment / Comment or .84(c)) should be written on tl	in the Office action of the drawings in the front (not the	e back) of
 DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT 			Note the
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview So Paper No./ 7. ☐ Examiner's	formal Patent Application (PT ummary (PTO-413), 'Mail Date Amendment/Comment Statement of Reasons for Allo	
		THOR CAMPBE	

Allowable Subject Matter

Claim 1 is allowed.

The following is an examiner's statement of reasons for allowance: The prior art of record does not teach to one of ordinary skill in the art in combination a water heating device wherein a hydroelectric generation system comprising a turbine mounted to in a flow passageway, and driven by the water flowing through said passageway; a generator operatively coupled to the turbine to generate electricity; and an electrical heater mounted to a heated section of the passageway, the electrical heater being electrically powered by the generator; and a control unit coupled to the electrical heater and the generator for controlling the electricity supplied to the electrical heater. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Entleutner discloses a turbine configuration to use waste heat to heat a fluid. Lin discloses a heater for heating a fluid within a fluid passageway, but does not suggest the use of a turbine/generator to self power a heating element.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thor S. Campbell whose telephone number is 703-306-9042. The examiner can normally be reached on Tue-Fri 5:30AM-4:00PM.

Application/Control Number: 10/623,636

Art Unit: 3742

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Denise Pothier can be reached on 703-308-0265. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

TSC 5/17/04

THOR CAMPBELL PATENT EXAMINER